

DIESEL FORKLIFTS

9-Series, Pneumatic, 10.0 to 16.0 ton capacity

⊕ EMEA



INTRODUCTION

BOBCAT'S HISTORY

In 1958, Melroe Manufacturing Company introduced a compact front-end loader that evolved quickly into the M400, the world's first true skid steer loader. The company soon adopted what became the world-famous 'Bobcat' brand – and its success paved the way for the global compact equipment industry we know today.

▶ YEARS OF EXPERIENCE

In 2021, Bobcat furthered its reach by acquiring Doosan Industrial Vehicle, increasing its capacity to provide customers with comprehensive business solutions. With Doosan's expertise in material handling and warehouse equipment dating back to its inaugural forklift in 1968, the company has established a global presence, with 400 dealers across 93 countries.



▶ BOBCAT TODAY

Now, with a diversified portfolio that includes forklifts and warehouse equipment, Bobcat serves as a one-stop solution for intralogistics needs, from loading shipping containers to optimizing warehouse operations. Produced in its South Korean factory, Bobcat's material handling machines offer the precision and durability customers expect.




OUR MISSION

We empower operators to accomplish more, while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.

TOUGH, AGILE & SAFE

▶ READY TO GIVE YOUR BUSINESS A LIFT

Give your business a boost with a diesel forklift that checks all the boxes: a high-performance, powerful, and efficient engine, smooth and variable controls, and a comprehensive set of safety features. A rugged, dependable machine that's easy to service, ensuring a low total cost of ownership.







ULTIMATE PRODUCTIVITY

Achieve greater daily productivity with high-performance engines featuring a 3-speed powershift transmission. With 129 kW of power, tackle heavy tasks more efficiently and boost overall productivity.



▶ ALL-DAY COMFORT

Work through the shift in comfort and with less fatigue, thanks to many quality-of-life features as standard, including a suspension seat with interlock, color display, plenty of leg room, anti-slip plate, and more.



DRIVEN BY SAFETY

Enjoy peace of mind provided by the machine's excellent all-around visibility, superb stability, and a full suite of smart safety features.

P. 10–11



▶ MAXIMUM UPTIME

Minimize the total cost of ownership with longer service intervals and high-quality Bobcat genuine parts and consumables, which offer excellent value for money and help your machine run smoother and longer.

P. 12–13



OUTSTANDING PRODUCTIVITY





▶ POWERFUL DIESEL ENGINES

Experience outstanding performance with a fuel-efficient HDI engine and dependable components, providing high-end torque at low engine rpm, while ensuring reduced fuel consumption.

SUPERB GRADEABILITY AND DRAWBAR PULL Leveraging the latest engine technology and optimal synchronization between the drivetrain and hydraulic system, our current model delivers significantly high drawbar pull and gradeability.





▶ ENHANCED PERFORMANCE AND EFFICIENCY

Harness the 3-speed powershift transmission with a full electric auto-shift controller for superior power efficiency. You'll also enjoy a 5% boost in fuel efficiency, thanks to optimized engine matching for better responsiveness, powerful performance, and smooth gear shifts. Plus, enjoy easy maintenance with a self-diagnosis system.

▶ FINE-TUNED POWERTRAIN

Unleash the power of productivity with our forklift's robust powertrain. Crafted with durable, high-quality components, our powertrain elevates efficiency and performance to propel your business forward.

COMFORT & CONTROLS



EASILY ADJUSTABLE SEAT & COLUMN

The premium suspension seat provides ample space for the operator with all-day comfort during long shifts. The seat and the steering wheel column are easy to adjust so that every operator feels right at home in the cab.

OPTIMAL COMFORT

Experience peak comfort in the cab designed for operator ease, featuring accessible switches, ergonomic design, and spacious entry. With reduced noise, improved visibility, and added features like a heater and air conditioner (HVAC), the operator stays comfortable all shift long.





MULTI-FUNCTIONAL 7" DISPLAY

This forklift features the largest display in its class for superior operability and visibility. Integrated with a rear-view camera display, it offers a weight indicator option, diagnostic functions, and choices for front and rear-view cameras. It also provides PIN code access and an integrated maintenance management program.

▶ USER-FRIENDLY CLIMATE

Enjoy complete comfort with this system's automatic temperature regulation, which combines heating, cooling, and ventilation controls. The all-in-one heating and air conditioning system delivers top-notch performance with dual evaporators.

DESCRIPTION CENTRALIZED SWITCHES



All control switches are conveniently arranged in a single location to enhance the operator's machine control.

▶ FINGERTIP CONTROLS




Control the machine with precision while reducing fatigue with the ergonomic fingertip controller.

QUIETER OPERATIONS



Upgrade operator comfort with the pressurized cab's two large air filters that effectively keep dust out. Plus, enjoy minimal noise at the driver's ear and reduced vibrations.



SAFETY IN EVERY MOVE

▶ ADVANCED PROTECTION FOR YOU AND YOUR OPERATION

Bobcat forklifts have safety embedded in their DNA. Packed with tons of features that protect your well-being and investment, these machines give you peace of mind in every task, every day.

▶ HILL START ASSIST (HSA)

The Hill Start Assist (HSA) ensures stability and prevents rollbacks by automatically activating the parking brake on slopes.

▶ AUTO TILT LEVELING


The auto tilt leveling automatically adjusts the fork angle to keep loads stable and level on uneven surfaces or slopes, allowing for more controlled handling of materials.

WEIGHT SCALE


With the help of an integrated weight scale, operators can prevent truck overload, keeping the workplace safer and more secure.

▶ REAR GRAB BAR WITH HORN

The rear grab bar provides stability during reverse maneuvers and tight space navigation. Plus, the horn can be easily activated with the push of a button conveniently located on the har









▶ REAR DETECTOR

The rear detector alerts the operator to obstacles behind the vehicle when traveling in reverse.

▶ GROUND SPEED CONTROL


Setting up a speed limit prevents the truck from going too fast. This limit can be customized for both forward and reverse directions.

▶ LARGE PANORAMIC AND REAR-VIEW MIRRORS

The large panoramic and rear-view mirrors provide excellent visibility to the rear working area, enhancing safety while contributing to overall productivity.

POWERFUL LED LIGHTS

The LED lights are powerful enough to light up even the darkest places in your workplace, ensuring you are always aware of your surroundings.









BUILT TO LAST

EXCELLENT RELIABILITY

With a robust engine featuring an auto-shift transmission, full floating drive axle, and shock-absorbing hydrostatic power steering, the Bobcat 9-Series Diesel forklift's heavy capacity is engineered to endure, ensuring maximum uptime and unwavering dependability.

> A vehicle control unit (VCU) to simplify communication, diagnostics, and truck maintenance

Electric tiltable cab for quick access to well-organized main components

Dual-element air cleaner to provide a stream

of clean and refreshing cool air

A shaft type carriage for superior strength and durability when handling wider and longer loads

Fan speed adjusts to coolant and brake oil temperatures to reduce energy waste, while the reverse

Centralized electronic components for quick and easy service

> Built-in centralized pressure detection port for easy pressure checking

Robust frame to withstand the demands of industrial environments and regular heavy use

> Oil-cooled disc brakes (ODB) with up to a 20 000-hour lifespan

Full floating drive axle to eliminate mechanical connections between the steering wheel and the steer axle and to minimize service calls

Full electric auto-shift transmission for less wear and tear during operation and directional changes

Wide-open angle of the rear side hood door for easy access to components

function keeps the radiator clean

101500



WARRANTY

Bobcat develops every machine to the highest standards of quality and durability. That's why our standard warranty provides 24 months or 2 000 operating hours (whichever occurs first) of coverage.



STAND UP TO EVERY TASK

THAT COMES YOUR WAY,

THERE'S NO TIME

FOR DOWNTIME.

DAY AFTER DAY.





▶ PROTECTION PLUS EXTENDED WARRANTY


Enjoy total peace of mind with Protection Plus extended warranty. Providing the same level of protection as the standard warranty, Protection Plus also reflects different customer needs and expectations by offering a choice of durations and annual operating hours.

EXTENSIVE DEALER NETWORK

You can rely on our network of dealers and service partners who are always ready to help you.

BOBCAT GENUINE PARTS

Quality components delivered to our dealers guarantee that all of our equipment is built to last, withstand the toughest conditions and provide reliable performance.




MAIN SPECIFICATIONS

		D100S-9	D120S-9	D140S-9	D160S-9	DV160S-9	
Drive		Diesel					
Load capacity (kg)	Q	10 000	12 000	14 000	16 000	16 000	
Load center (mm)	С	60		00		1 200	
Load distance: center of drive axle to fork (mm)	Х	755 770		815		985	
Nheel base (mm)	у	3 000		3 250		3 750	
Service weight (kg)		15 278	16 278	18 300	19 300	23 523	
read, front (mm)	b11	1 724		1 825		1 858	
read, rear (mm)	b12	1 910 1 95		950	1 976		
ilt of mast / fork carriage forward/backward (°)	α/β	15 / 12			10 / 10		
Height, mast lowered (mm)	h1	2 715 – 4 665		2 930 – 6 320		2 940 – 4 745	
Free lift (mm)	h2	1 380 – 2 050	1 390 – 2 060	1 380 – 2 145	1 385 – 2 150	1 550 – 2 050	
.ift (mm)	h3	2 500	- 6 000	3 000 - 8 500		3 000 - 6 000	
leight, mast extended (mm)	h4	3 965 – 7 500		4 670 – 7 635		4 715 – 7 43	
leight over overhead guard (mm)	h6	2 830			2 860		
leight of seat (mm)	h7	1 800		1 830			
Overall length	l1	5 840	5 850	6 180		7 955	
ength to fork face (mm)	12	4 490	4 500	4 830		5 555	
Overall width (mm)	b1/b2	2 350		2 490		2 540	
Ground clearance, loaded, below mast (mm)	m1	240		235		200	
Ground clearance, loaded, center of wheel base (mm)	m2	315		345			
nner turning radius (mm)	b13	1 567		1 665		1 874	
ravel speed, loaded / unloaded (km/h)		36 / 41	35 / 40	30 / 35	29 / 34	34 / 39	
ift speed, loaded / unloaded (mm/s)		460 / 490	450 / 490	410 / 460	400 / 460	390 / 460	
Lowering speed, loaded / unloaded (mm/s)		430 / 410					
Orawbar pull, loaded at 1.6 km/h (kg)		11 544	11 474	12 534	12 464	12 504	
Gradeability, loaded at 1.6 km/h (%)		51	44	43	38	32.4	
ingine manufacturer / type		HDI DL06V					
ingine power (kW/rpm)		128.7					
Rated speed (min ⁻¹)		2 100					
Torque at 1/min (N•m)		725.7 / 1 400 784.5 / 1 400					
Number of cylinders / displacement (cc)		6 / 5 890					

Specification values quoted in this specification sheet have been rounded. Performance may vary depending on operating conditions. Products and specifications are subject to improvement and change without prior notice.


(1) Mast dimensions refer to a range from the lowest to highest available mast with load backrest.


Note: Load capacities are based on the standard chassis without side shifter.



STANDARD EQUIPMENT & OPTIONS

PRODUCTIVITY	
Powerful engine compliant with Euro Stage IV	√
Power steering	√
3-speed ZF transmission (Autoshift)	√
Closed Center Load Sensing (CCLS)	√
Auto-throttle	√
Multi-torque mode (Eco/Std/High)	√
SAFETY	
Excellent visibility	√
Electronic parking brake	√
Back-up alarm	√
Hill Start Assist (HSA)	√
Speed limit	√
Rear-view mirror (LH/RH) / Heated mirror	√
Front and rear combination LED lights (with hazard switch)	√
Guardian Stability System (GSS)	•
Seat belt interlock	•
Safety blue light (always on or activated by gear)	•
4 th lever interlock for attachment	•
Front camera, rear-view camera	•
Weight systems (hydraulic / load cell)	•
Auto tilt leveling	•
Rear object detection system with beep sound	•
Siren and microphone	•
Ground speed control	•
2 front/rear LED lights (on operator compartment)	•
Additional front/rear light on mast/counterweight	•





*This list is based on factory data. Standard or optional can vary for specific countries.

- e option
- √ = standard

Manual / electric cab tilting
Battery disconnect switch
Hydraulic pressure check package
Tankless air compressor
Automatic reversible cooling fan

– = not available



340 MACHINES / 150 ATTACHMENT FAMILIES / 1 TOUGH ANIMAL







COMPACT TRACK LOADERS

COMPACT WHEEL LOADERS



FORKLIFTS



TELEHANDLERS



ROTARY TELEHANDLERS



LIGHT COMPACTION EQUIPMENT



COMPACT EXCAVATORS



COMPACT TRACTORS



WAREHOUSE EQUIPMENT



MINI TRACK LOADER



MOWERS



PORTABLE POWER




ATTACHMENTS

Bobcat







Doosan Bobcat EMEA, U Kodetky 1810, 263 12 Dobříš, Czech Republic